



## DICHIARAZIONE DI PRESTAZIONE

*ai sensi del Regolamento Prodotti da Costruzione n° 305/2011*

Si allega la Dichiarazione di Prestazione del prodotto 014280 (weber.therm SRD-5) denominata "DoP\_DE\_14279\_001\_weber\_therm\_SRD\_5\_2017-07\_eng" redatta dal fabbricante Saint-Gobain Weber GmbH ai sensi dell'Art.4 del Regolamento Prodotti da Costruzione n° 305/2011.

Il prodotto è distribuito da Saint-Gobain Italia all'interno della gamma dei tasselli webertherm TA8.

### **Saint-Gobain Italia S.p.A.**

Soggetta ad attività di direzione  
e coordinamento di Saint-Gobain  
Produits pour la Construction S.A.S.  
Via Giovanni Bensi, 8  
20152 Milano - Italia  
Tel. +39 02 611151

Codice Fiscale e P. IVA 08312170155  
sg.ppc@legalmail.it  
Registro Imprese Milano Monza  
Brianza Lodi n. 08312170155  
R.E.A. MI - 1212939  
Capitale sociale € 77.305.082,40

[www.saint-gobain.it](http://www.saint-gobain.it)  
[www.sg-lifeupgrade.it](http://www.sg-lifeupgrade.it)

## DECLARATION OF PERFORMANCE

in accordance with EU Construction Products Regulation (CPR) No. 305/2011  
and Commission Delegated Regulation (EU) No. 574/2014

### Nr. DoP-DE-014279 001 [EN]

1. *Unique identification code of the product-type:*  
**014279 001 (weber.therm SRD-5)**
  
2. *Vorgesehene Verwendung(en):*  
Screwing anchor for fixing of external thermal insulation composite systems with rendering in concrete and masonry, using category: A, B, C, D, E  
Anchor length: 115 - 295 mm
  
3. *Manufacturer:*  
Saint-Gobain Weber GmbH  
Schanzenstr. 84  
D-40549 Düsseldorf  
[www.sg-weber.de](http://www.sg-weber.de)
  
4. *Authorised representative:*  
Not applicable
  
5. *System/s of AVCP:*  
AVCP system 2+
  
6. *Harmonised standard:*  
Not applicable
  
7. *Declared performance/s:*

Essential characteristics	Performance	Harmonized technical specification
Characteristic tension resistance $N_{RK}$	see ETA-17/0077 annex C1, table C1	EAD 330196-01-0604
Displacement	see ETA-17/0077 annex C2, table C4	EAD 330196-01-0604
Point thermal transmittance	see ETA-17/0077 annex C2, table C2	EOTA TR 25
Plate stiffness	see ETA-17/0077 annex C2, table C3	EOTA TR 26
Edge distances and spaces	see ETA-17/0077 annex B2, table B2	EAD 330196-01-0604

8. *Appropriate Technical Documentation and/or Specific Technical Documentation:*  
Basis EAD 330196-01-0604 / ETA-17/0077 - Deutsches Institut für Bautechnik (DIBT)

Notified body: 0672 MPA Stuttgart

*The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.*


*Signed for and on behalf of the manufacturer by:*

Bruno Reisch, Director R+D/Application technology

  
.....  
(Signature)

Markus Becker, Head of quality control

  
.....  
(Signature)

Düsseldorf, .....  
(Place/Date of issue)

Attachments to DoP according to CPR Article 6 (5) and the REACH regulation (EC) No. 1907/2006 (REACH), Article 31 or Article 33

- |   |                |
|---|----------------|
| 1. (31) Safety data sheet:                              | Not applicable |
| 2. (33) Information on substances of very high concern: | Not applicable |